


# Molded Parts Specification Control Drawing

Part Number : 222D211-X-40

Description : Boot, 90°

## NOTES

- All dimensions are in  $\frac{\text{inches}}{\text{[millimeters]}}$
- Dimensions appearing in table are as follows:
  - a - As Supplied
  - b - After Unrestricted Recovery
- Coating is optional. As supplied dimensions appearing in table are for uncoated parts. When coating is added, entry diameters will be reduced by .06 max.



PART NUMBER	H			J			P	R	JO	HW	JW
	Max	Min	Max	Max	Min	Max	±10%	±10%	±10%	±20%	±20%
	a	a	b	a	a	b	b	b	b	b	b
222D211-X-40	$\frac{.60}{[15,2]}$	$\frac{.50}{[12,7]}$	$\frac{.45}{[11,4]}$	$\frac{.60}{[15,2]}$	$\frac{.50}{[12,7]}$	$\frac{.25}{[6,4]}$	$\frac{1.00}{[25,4]}$	$\frac{.61}{[15,5]}$	$\frac{.31}{[7,9]}$	$\frac{.06}{[1,5]}$	$\frac{.045}{[1,1]}$




# Molded Parts Specification Control Drawing

Part Number : 222D211-X-40

Description : Boot, 90°

COMPATABILITY CHART					
MATERIAL DASH NO.	MATERIAL DESCRIPTION	RT SPEC	COATING SLASH NO.	COATING S NO.	COATING DESCRIPTION
-25	Elastomer, Fluid Resistant	RT-1325	/225	S-1206	Adhesive

## ORDERING INFORMATION



THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE; CONSULT YOUR  
NEAREST FIELD REPRESENTATIVE FOR CURRENT REVISION



TYCO ELECTRONICS  
300 CONSTITUTION DRIVE  
MENLO PARK, CALIFORNIA 94025

Revision : A  
Date : 8/11/06

Part Number : 222D211-X-40  
Description : Boot, 90°

If this document is printed it becomes uncontrolled.  
Check for the latest revision.