




PART NUMBER	DIM "A"	DIM "B"	DIM "D"
74773-1132	4.40±0.10	22.00	23.95
74773-1103	3.50±0.05	34.00	35.95
74773-1132LF	4.40±0.10	22.00	23.95
74773-1103LF	3.50±0.05	34.00	35.95



NOTES :

- BODY MATERIAL: LIQUID CRYSTAL POLYMER 30% GLASS. FLAME RETARDANT ACC. TO UL 94-V0. COLOR: NATURAL.
- FOR LEAD FREE NUMBERS, ADD AN 'LF' SUFFIX. PART NUMBERS THAT DO NOT END IN 'LF' ARE LEAD FREE. EXAMPLE: 74773-1132LF
- THE PRODUCTS WHERE THE PART NUMBER ENDS IN LF AND THE NONE LF PART NUMBERS MEET THE EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
- ALL PRODUCTS WILL WITHSTAND EXPOSURE TO 260°C FOR 60 SECONDS IN A CONVECTION, INFRA-RED OR VAPOUR PHASE REFLOW OVEN.

mat'l. code		surface		tolerance		projection		product family	
SEE NOTES		ASME Y14.5		ASME Y14.5		MM		METRAL	
ltr	ec'n no.	dr	date	tolerances unless otherwise specified		MM		title	
A	V80842	MDF	5/19/98	angles	XX ±.01	MM		5 ROW SHROUD	
B	V12696	EPK	11/16/01	flat	.XXX ±.051	scale 1:1		sheet 1 of 1	
C	V21667	CGD	10/17/02	0° ±2'				size	
D	V06-0080	JRV	3/15/06	dr	M. FETROW	5/19/98		dwg no	
E	V06-0622	JRV	2006-06-26	eng	C. PENDLETON	5/19/98		74773	
				chr	D. McCLUNE	5/19/98		A4	
				appd	C. PENDLETON	5/19/98		type	
sheet	revision	E						CUSTOMER Drawing	
index	sheet	1							