


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
AD	00	L		EC 0G3C 0675 04	08JAN04	BSV	DFR
		L1		REVISED PER ECO-09-020932	27AUG09	KK	AEG



- 1 .000050 MIN W.E. #1 GOLD ALLOY IN CONTACT AREA, .000050-.000100 TIN-LEAD IN AREA D, ALL OVER .000050 NICKEL.
- 2 MOLDED CIRCUIT #1 IDENTIFIER IN LOCATION SHOWN.
- 3 TOLERANCE NON-CUMALATIVE
- 4 USE WITH 22-26 AWG WIRE SIZE, .050 MAX INSULATION DIA., .015 MAX INSULATION WALL THICKNESS.
- 5 CONTACT IDENTIFICATION NUMBER "2" LOCATED IN THIS AREA.
- 6 .000050 MIN W.E. #1 GOLD ALLOY IN CONTACT AREA, .000050 - .000100 TIN IN AREA D, ALL OVER .000050 NICKEL.
- 7 ROHS 2002/95/EC COMPLIANT
- 8 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

POSN	C	B	A	NO OF POSN	ASSEMBLY PART NUMBER
7	.400	.300	3	8	5-104305-4
7	1.000	.900	9	20	5-104305-3
7	1.700	1.600	16	34	5-104305-2
7	.500	.400	4	10	5-104305-1
1	.400	.300	3	8	104305-4
1	1.000	.900	9	20	104305-3
1	1.700	1.600	16	34	104305-2
1	.500	.400	4	10	104305-1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN H MOLL 11-20-87
 CHK P de Jong 11-20-87
 APVD -

Tyco Electronics Corporation
 Harrisburg, Pa 17105-3608

RECEPTACLE ASSY, AMPMODU,
 MASS TERMINATION, DBL ROW,
 .100 X .100 CL, #22-#26 AWG WIRE

PRODUCT SPEC 108-25018
 APPLICATION SPEC 114-25015

SIZE A2 CAGE CODE 00779 DRAWING NO C=104305 RESTRICTED TO -

MATERIAL HOUSING: FLAME RETARDANT THERMOPLASTIC, COLOR:BLACK, CONTACTS: PHOS BRONZE
 FINISH SEE TABLE

WEIGHT -

CUSTOMER DRAWING SCALE 4:1 SHEET 1 OF 1 REV L1