

Housing - HC-D 25-TFL-72/O1PG16G - 1672848

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Sleeve housing, for single locking latch, height 72 mm, without screw connection, 1x Pg16, straight cable entry



Key Commercial Data

Packing unit	1 STK
GTIN	 4 017918 145378
GTIN	4017918145378
Weight per Piece (excluding packing)	226.100 g
Custom tariff number	85389099
Country of origin	Germany

Technical data

Dimensions

Height	72 mm
--------	-------

Ambient conditions

Degree of protection of housing (IP)	IP65
--------------------------------------	------

General

Locking type	for single locking latch
No. of cable outlets	1
Cable outlet	straight
Screw connection	none
Type of the screw connection	1x Pg16

Environmental Product Compliance

Housing - HC-D 25-TFL-72/O1PG16G - 1672848


Technical data

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Drawings

Dimensional drawing



Classifications

eCl@ss

eCl@ss 4.0	27140816
eCl@ss 4.1	27140816
eCl@ss 5.0	27143424
eCl@ss 7.0	27440202
eCl@ss 8.0	27440202
eCl@ss 9.0	27440202

ETIM

ETIM 2.0	EC000437
ETIM 3.0	EC000437
ETIM 4.0	EC000437
ETIM 5.0	EC000437
ETIM 6.0	EC000437

UNSPSC

UNSPSC 6.01	31261502
UNSPSC 7.0901	31261502
UNSPSC 11	31261502
UNSPSC 13.2	31261501

Housing - HC-D 25-TFL-72/O1PG16G - 1672848

Approvals

Approvals

Approvals

GL / EAC

Ex Approvals

Approval details

GL		http://exchange.dnv.com/tari/	6196614 HH
----	---	---	------------

EAC			RU C- DE.AI30.B.01102
-----	--	--	--------------------------
