

**NOTES:**


- ① MAT'L: COPPER (STOCK TKN.  $\frac{.040}{1.02}$ )
- ② TIN-PLATED BRASS FUNNEL FERRULE

STUD SIZES: ( $\pm .005$ )

- 02 = .094
- 04 = .119
- 06 = .146
- 08 = .173
- 10 = .198
- 14 = .265
- 56 = .328
- 38 = .390

"UL" LISTING # E32244  
 "CSA" LISTING # 18689

WIRE SIZE: 12-10AWG  
 4.0-6.0 MM<sup>2</sup>



ALL DIMENSIONS = INCHES  
 (MWID) DENOTES MAXIMUM WIRE INSULATION DIAMETER

PART NUMBER	"W" $\pm .010$	"C" MIN.	"L" MAX.	REFERENCE	SCALE:	NTS	DATE	TITLE:	DWG.	
									NO.	A
C-411-	$\frac{.372}{9.45}$	$\frac{.303}{7.70}$	$\frac{1.026}{26.06}$					HOOK TONGUE TERMINAL VIBRAKRIMP 400-SERIES	A	CUSTOMER DWG
C-499-	$\frac{.533}{13.54}$	$\frac{.393}{9.98}$	$\frac{1.204}{30.56}$							
DIMENSIONAL TOLERANCES UNLESS OTHERWISE SPECIFIED FRAC. DEC. ANG.										

